



Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

Form - IV

(See rule 13)

Bio Medical Waste Annual Return for the Calender Year - 2025

Application Type: Industry	Calender Year 2025	Submit To SRO-Raigad I
1) Particulars		
i) First Name Dineshpratap	ii) Middle Name Rajbahadur	iii) Last Name Singh
iv) Designation Executive Vice President-Operations	v) Aadhaar No 000000000000	vi) PAN No 0000000000
vii) Address as per Aadhaar Card E-503 OM Harmony, Plot No.267,Near Bank of India,Sector 10,Kharghar,Raighad,Maharashtra-410 210	viii) Tel. No. 7304873694	ix) Fax No.
x) e-mail dineshpratap.singh@dfpcl.com	xi) URL of website www.dfpcl.com	
2) Details of the Industry		
i) Name of the Industry Deepak Fertilisers And Petrochemicals Corporation Limited	ii) Email vasudev.thakur@dfpcl.com	iii) Name of the contact person Mr Vasudev Thakur
iv) Contact No. 9821149777		
3) Address of the Industry		
i) Building Name/Building No./Survey Number Plot Nos.K-1,Part-1,K-2,K-3,K-4,K-5 & K-6	ii) Street / Village MIDC, Taloja.	iii) City / Taluka Panvel
iv) District Raigad	v) Pin-Code Number 410208	vi) Near by Landmark
vii) Latitude coordinate 19.06	viii) Longitude coordinate 73.13	ix) Ownership Private
Details of valid Combined Consent and BMW Authorization (CCA)		
i)Authorization No. Format1.0/CC/UAN No.MPCBCONSENT_ AMMENDMENT-0000012331/CO/240300 0008, Dated 01.03.2024	ii)Authorization validity Date Mar 31 2026 12:00:00:AM	
5) Status of Consents under Water Act and Air Act		
i)Consent Number Format1.0/CC/UAN No.MPCBCONSENT_ AMMENDMENT-0000012331/CO/240300 0008	ii)Consent validity Date Mar 31 2026 12:00:00:AM	
6) Total No of Beds (As per valid Authorization)		
7) Registration Number (e.g. Bombay Nursing Home reg. no.,MSDC,MBTC)		Factory License no.10025104
8) Registration Expiry Date		Dec 31 2026 12:00:00:AM

9) Faculty of Medicine Medical									
10) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of M/s.Mumbai Waste Management Ltd., Taloja									
11) Details of BMW i) Authorized BMW Quantity Kg/month (as per valid CCA) <table border="1"> <tr> <td>Yellow 20.00000</td> <td>Red 5.00000</td> <td>Blue 20.00000</td> <td>White 5.00000</td> </tr> </table>					Yellow 20.00000	Red 5.00000	Blue 20.00000	White 5.00000	
Yellow 20.00000	Red 5.00000	Blue 20.00000	White 5.00000						
ii) Bio Medical Waste Generated (Kg/month) <table border="1"> <tr> <td>Yellow 1.77700</td> <td>Red 0.44700</td> <td>Blue 0.29100</td> <td>White 0.48300</td> </tr> </table>					Yellow 1.77700	Red 0.44700	Blue 0.29100	White 0.48300	
Yellow 1.77700	Red 0.44700	Blue 0.29100	White 0.48300						
iii) Quantity of Biomedical waste given to CBMWTDF (kg/Month) <table border="1"> <tr> <td>Yellow 1.7770</td> <td>Red 0.4470</td> <td>Blue 0.2910</td> <td>White 0.4830</td> <td>General Solid Waste</td> </tr> </table>					Yellow 1.7770	Red 0.4470	Blue 0.2910	White 0.4830	General Solid Waste
Yellow 1.7770	Red 0.4470	Blue 0.2910	White 0.4830	General Solid Waste					
12) Details trainings conducted on BMW i) Number of trainings conducted on BMW Management. 8									
ii) Number of personnel trained 3									
iii) Number of personnel trained at the time of induction 3									
iv) number of personnel not undergone any training so far									
v) whether standard manual for training is available? Yes									
vi) any other information NA									
13) Details of the accident occurred during the year i) Number of Accidents occurred									
ii) Number of the persons affected									
iii) Remedial Action taken (Please attach details if any) No									
iv) Any Fatality occurred, If yes details. No									
14) Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year? No									
15) Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year? No									
17) Whether HCE intended to Sale / Handover liquid BMW for R&D purpose No									
Place Taloja	Designation Executive Vice President-Operations	Date 09-01-2026							